



Laboratoire d'ingénierie des systèmes de Vers

REVUES INTERNATIONALES 2010 - 2014 DE L'ÉQUIPE INSTRUMENTATION ET MODÉLISATION DES SYSTÈMES ET NANOSYSTÈMES AVANCÉS

Revue Internationale 2010 - 2014

2014

D. Le Roux, B. Root, J. Hickey, O. Scott, A. Tsuei, J. Li, D. Saul, L. Chassagne, J. Landers, P. de Mazancourt, Integrated sample-in-answer-out microfluidic chip for Rapid Human Identification by STR analysis", Lab on a Chip, 14(22), 4415-4425 (2014). [PDF - 10 Mo]

T. H. Sikiru, A. A. Jimoh, Y. Hamam, Y. Alayli, J. T. Agee, Transmission dispatch for loss minimisation using linearised power flow equations in mixed integer programming,

International Journal of Electrical Power & Energy Systems, Vol 62, Pages 855–861 (2014).

A. Khalaf, K. Djouani, Y. Hamam, Y. Alayli, Maintenance Strategies and Failure-Cost Model for Medical Equipment, *Quality and Reliability Engineering International*, DOI: 10.1002/qre.1650 (2014).

L. Chassagne, O. Bruneau, A. Bialek, C Falguière, E. Broussard, O. Barrois, Ultrasonic Sensor Triangulation for accurate 3D Relative Positioning of Humanoid Robot Feet, *IEEE Sensors*, Vol 15, Issue 5, pp 2856-2865, DOI: 10.1109/JSEN.2014.2382435 (2014).

A. O. Anele, Y Hamam, Y. Alayli, K. Djouani, Investigating the Impacts of Lateral and Angular Misalignments between Circular Filaments, *Journal of Machine to Machine Communications*, Vol. 1, 83–104, doi: 10.13052/jmmc2246-137X.113 (2014).

L. Benabou, Z. Sun. Homogenization scheme for brittle intergranular decohesion in polycrystalline aggregates. *Mechanics Research Communications* 55, 114-119, 2014.

D. Le Roux, B. Root, C. Reedy, J. Hickey, O. Scott, J. Bienvenue, J. Landers, L. Chassagne, P. de Mazancourt, Rapid DNA analysis using an integrated microchip for multiplex PCR amplification and electrophoresis for reference samples, *Analytical Chemistry*, 86(16):8192-9 doi: 10.1021/ac501666b (2014).

J.A. Nasser, L. Chassagne, S. Topsu, J. Linares, Y. Alayli, Study of the atom coupling model for (SC) partition function: first order phase transition for an infinite linear chain, *European Physical Journal B*, 87:69, DOI: 10.1140/pejb/e2014-41039-0 (2014).

S. Lakkis, R. Younes, Y. Alayli, M. Sawan, Review of recent trends in gas sensing technologies and their miniaturization potential, *Sensor Review*, Vol. 34 Iss: 1, pp.24 - 35, DOI: 10.1108/SR-11-2012-724 (2014).

2013

Tixier M., Pouget J., "Conservation laws of an electro-active polymer", *Continuum Mech. Thermodyn.*, 2013, DOI 10.1007/s00161-013-0314-9.

Y. Calderón-Hermosillo, J. García-Márquez, R. Espinosa, N. Alcalá Ochoa, V. López, A. Aguilar, E. Noé-Arias, and Y. Alayli, "Flicker in a twisted nematic LCoS-Spatial Light Modulator," *Opt. Laser Eng.*, 51(6), 741–748 (2013), <http://dx.doi.org/10.1016/j.optlaseng>.

2013.01.013

A. Tellez-Quiñones D. Malacara-Doblado and J. García-Márquez, "Compensation of the two-stage phase-shifting algorithms in the presence of detuning and harmonics," J. Opt. Soc. Am. A, 30(X) (2013) in press.

F. Maroteaux, C. Saad: Diesel engine combustion modeling for hardware in the loop applications: effects of ignition delay time model. Energy. Vol 57, pp 641-652, 2013.

F. Maroteaux, P-L. Pommier, A turbulent time scale based k-epsilon model for probability density function modeling of turbulence/chemistry interactions: application to HCCI combustion, International Journal of Heat and Fluid Flow, Vol 42, pp 105-114 (2013).

Z. Sun, L. Benabou, P.R. Dahoo. Prediction of thermo-mechanical fatigue for solder joints in power electronics modules under passive temperature cycling, Engineering Fracture Mechanics, 107, 48-60 (2013).

Benabou L., Sun Z., Dahoo P.-R. A thermo-mechanical cohesive zone model for solder joint lifetime prediction, International Journal of Fatigue 49 (2013) 18-30

Y. Guilhem, S. Basseville, F. Curtit, J.M. Stéphan, G. Cailletaud , Numerical investigations of the free surface effect in three-dimensional polycrystalline aggregates, Computational Materials Science, 70, 150-162 (2013).

2012

F.Maroteaux, J-B Millet, One Step Reaction Rate Model for Application of HCCI Combustion on Energy Efficient and Environment Friendly Thermal Engines. International Journal of Energy Environment and Economics, Vol 20, issue 3, 2012.

J. Lalevée, F. Dumur, C.R. Mayer, D. Gignes, G. Nasr, M-A Tehfe, S. Telitel, F. Morlet-Savary, B. Graff, J-P. Fouassier, Photopolymerization of N-vinylcarbazole using Visible Light Harvesting iridium Complexes as photoinitiators, Macromolecules, to be published in 2012.

F. Dumur, C.R. Mayer, Unexpected ritter reaction during acid-promoted 1,3-Dithiol-2-one formation, Helv. Chimi Acta, to be published in 2012.

J.-P. Loisel, S. Topsu, L. Chassagne, Y. Alayli, P.R. Dahoo, P. Juncar, Generation of 656

nm Coherent Red-Light by Frequency-Doubled Nd:YLiF₄/BaB₂O₄ Laser for a Compact Silver Atoms Optical Clock, International Journal of Metrology and Quality Engineering, 3, 7-13 (2012).

A. Missoffe, L. Chassagne, S. Topsu, P. Ruaux, B. Cagneau, Y. Alayli, New simple optical sensor: from nanometer resolution to centimeter displacement range, Sensors and Actuators A, 176, 46-52 (2012). [PDF - 1 Mo]

F. Miomandre, R. Pansu, J.F. Audibert, A. Guerlin, C. Mayer, Electrofluorochromism of a ruthenium complex investigated by time resolved TIRF microscopy coupled to an electrochemical cell, Electrochem. Comm., accepted paper (2012).

L. Benabou, Finite strain analysis of wood species under compressive failure due to kinking, to be published in International Journal of Solids and Structures (2012).

K. Ouedraogo, S. Topsu, J. Gayhmouni, L. Chassagne, Y. Alayli, P. Juncar, P. Gournay, F. Bielsa, G. Genevès, Accurate Ellipsometric Magnetic-Field Sensor Used to Align the LNE Watt Balance Magnetic Circuit, Sensors and Actuators A, 175, 9-14 (2012).

P-L. Pommier, F. Maroteaux, M. Sorine, A PDF method for HCCI combustion modeling: CPU time optimization through a restricted initial distribution, Mechanics & Industry 13, 219–228 (2012).

J-B. Millet, F. Maroteaux, F. Aubertin, Air System and Diesel Combustion Modelling for Hardware in the Loop Applications. Journal of Engineering for Gas Turbines and Power, Vol 134, Issue 4, 042802 (2012).

2011

C. Saad, F. Maroteaux, F. Aubertin, J-B. Millet, Combustion Modelling of a direct injection Diesel Engine using Double Wiebe Functions: Applications to Hil Real-Time Simulation, SAE Technical Paper, 2011-24-0143, DOI 10.4271/2011-24-0143 (2011).

Y. Celnikier, L. Dupont, E. Hervé, G. Coquery, L. Benabou, Optimization of wire connections design for power electronics, Microelectronics Reliability, Vol. 51 (9-11), pp. 1892-1897 (2011).

Y. Celnikier, L. Benabou, L. Dupont, G. Coquery, Investigation of the heel crack

mechanism in Al connections for power electronics modules, *Microelectronics Reliability*, Vol. 51 (5), pp. 965-974 (2011).

J. Nasser, S. Topsu, L. Chassagne, M. Wakim, B. Bennali, J. Linares, Y. Alayli, Two-dimensional atom-phonon coupling model for spin conversion: role of metastable states, *European Physical Journal B*, 83, 115-132 (2011).

K. Ouedraogo, S. Topsu, L. Chassagne, P. Ruaux, B. Cagneau, Y. Alayli, Compact and accurate concept of laser wavemeters based on ellipsometry, *Review of Scientific Instruments*, 82, 055112 (2011).

M. Paez Espejo, A. Gîndulescu, J. Linares, J. Nasser, M. Dimian, Phase diagram of 2D spin crossover systems using the atom – phonon coupling model, *Journal of Applied Physics*, 109, 07B102 (2011).

A. Gîndulescu, J. Linares, M. Dimian, A. Rotaru, J. Nassser, Analysis of phase transitions in spin-crossover compounds by using atom – phonon coupling model, *Journal of Phys*, 268, 012007 (2011).

A. Gîndulescu, A. Rotaru, J. Linares, M. Dimian and J. Nassser, Metastable states at low temperature in spin crossover compounds in the framework of the atom-phonon coupling model, In press in *Polyhedron* (2011) doi:10.1016/j.poly.2011.03.038.

S. Basseville, E. Héripé, G. Cailletaud, "Numerical simulation of the third body in fretting problems *Wear*", Volume 270, Issues 11–12, 5 May 2011, Pages 876-887.

H. Proudhon, S. Basseville, Finite element analysis of fretting crack growth, *Engineering Fracture Mechanics*, 78, 4, 685-694 (2011). [PDF - 1 Mo]

L. Perret, L. Chassagne, S. Topcu, P. Ruaux, B. Cagneau, Y. Alayli, Fiber optics sensor for sub-nanometric displacement and wide bandwidth systems, *Sensors and Actuators A*, 165, 189-193 (2011).

2010

A. Bolopion, B. Cagneau, S. Redon, S. Régner, Comparing position and force control for interactive molecular simulators with haptic feedback, *Journal of Molecular Graphics and Modelling* 29, 280–289 (2010).

A. Gindulescu, A. Rotaru, J. Linares, M. Dimian, J. Nasser, Excited metastables electronic spin states in spin crossover compounds studies by atom-phonon coupling model: gradual and two-step transition cases, Journal of Applied Physics, 107, 09A959 (2010).

Y. Guilhem, S. Basseville, F. Curtit, J-M.Stéphan, G.Cailletaud, Investigation of the effect of grain clusters on fatigue crack initiation in polycrystals. International Journal of Fatigue, Vol 32, Issue 11, pp1748-1763 (2010). [PDF - 9 Mo]

L. Chassagne, S. Blaize, P. Ruaux, S. Topcu, P. Royer, Y. Alayli, G. Lérondel, Multi-scale Scanning probe Microscopy, Review of Scientific Instruments, 81, 086101 (2010). [PDF - 758 Ko]

L. Benabou, Predictions of compressive strength and kink band orientation for wood species, Mechanics of Materials, Vol 42 pp. 335-343 (2010).